


Colzer


MODELS: 142C

AIR PURIFIER USER MANUAL

Please read this instruction carefully and keep it for future reference.
Please refer to the actual product, the image in the instruction is for reference only




Air Purifier



User Manual



Pre- Filter



Combination Filter

Pre-filter and composite filter are made into 1 piece

(Product List)

■ READ AND SAVE THESE INSTRUCTIONS

■ CATALOG

| | |
|------------------------------|-----|
| Notice | 1 |
| Safety information | 2-3 |
| Troubleshooting | 4 |
| Product structure | 5 |
| Guidance for usage | 6 |
| Product feature | 7 |
| Operation instructions | 8 |
| Filter replacement | 9 |

■ NOTICE

To avoid harm or property damage, please be sure to observe the following rules and instructions.



"Risk of death or injury"

Warning



"Risk of injury or hazardous substances"

Caution



"Forbidden"



"Must"

• Warning •



Do not disassemble




Do not insert foreign objects into air outlet



Power cord is in good condition



Unplug when not in use



Do not use nonstandard power supply



Do not operate with wet hands



Use good condition power socket



Keep dry

■ SAFETY INFORMATION

Before Use

- Use only standard socket that meet the standard voltage written on the nameplate.
- Please do not use the device if the power cord/plug/socket has been damaged, and ask the manufacturer or professional to replace it.
- To avoid any electric shocks or fire caused by circuit, when unplugging the power plug, please clench the plug. Do not pull the power cord.

Restrictions On Use

- There is oil residue in the room, please do not use the device.
- There is smoke in the room when burning incense, please do not use the device.
- The flame in the room when it is a little smoke, please do not use the device.
- When there is a chemical smell in the air, please do not use the device.
- To avoid any electric shock, fire or any other damages, please do not use the device in the environment which is filled with hydrogen, natural gas and other flammable gases.
- Please do not use the device when you use aerosol bomb.
- To avoid any electric shock, fire or any other damages, please do not use the device in any uneven, unstable places or high temperature, wet places, such as shower room, etc.

Installation

- Please do not install near objects that may come into contact with air intake or outlet.
- Please use the device at room with temperature of 0 to 40 degrees Celsius.
- To avoid surface cracking, please do not install in places where black smoke will occur. (Such as kitchen, etc.)

■ SAFETY INFORMATION

This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

-WARNING-TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT USE THIS FAN WITH ANY SOLID-STATE SPEED CONTROL DEVICE

In Use

- Please do not use the device without filters.
- Please do not insert your fingers or objects into the air inlet/outlet.
- Please do not close to heat object (like stoves or any place have fire gases.)
- Please pull the plug immediately if any malfunction happens like smoking, bad smell, etc.

Transport

- Be sure to stop running and unplug the power cord when moving.
- Hold the handle on the side of the device when moving. To avoid the device falling to get injured, please do not handle the front board.

Notice of Cleaning

- Please do not clean and reuse the composite filter.
- To avoid any damage, please clean the device with soft cloth.
- To avoid any damage, electric shock or fire, please do not clean the device with ethyl alcohol or organic solvent.
- To avoid any electric shock or fire, please power off and clean foreign matters of plug when clean the device or not use the device.

■ TROUBLESHOOTING


If your air purifier does not run smoothly, please check the following before maintenance.

| Phenomenon | Possible reason | Solution |
|--|---|--|
| Machine can not start | A. Unplug power plug. B. Machine rear cover not in position. | A. Reconnect power plug. B. Re-install the rear cover in position. |
| Odor in the outlet | A. More pollutants in the room such as more smoking B. Filter is polluted severely | A. It is recommended that the room air be changed. B. Replace with a brand new filter |
| None obvious dust removal effect, none air quality improvement | A. Filter is not installed into the machine. B. Machine is placed in narrow space or space with obstacles nearby which may have negative impact on the purification effect. C. Filter is too dirty. | A. Install the filter correctly. B. Place the unit at least a foot away from the obstacles. C. Replace with a new combination filter |
| Loud running noise | A. Whether the installation is not tight. B. Other matter stored in the machine. | A. Contact after-sales center. B. Clean other matters. |
| Main buttons not work | ⊖ is worked. | Press 3 second to turn off the ⊖ |
| Filter cannot be installed | Filter is installed opposite. | Adjust the filter to right direction and install the filter to the bottom slot. |



After all the checks above, troubleshooting still existed, please contact our customer service. Do not attempt to disassemble and maintain the device by yourselves, to avoid any danger and damages to the machine.

■ PRODUCT STRUCTURE




■ TECHNICAL PARAMETERS

| | | | |
|-----------------|----------------------|--------------|----------|
| Product Name | Air purifier | Model | 142C |
| Rated Voltage | AC 120V | Brand | Colzer |
| Input Power | 55W | Frequency | 60Hz |
| CADR(particles) | 210m ³ /h | Noise | ≤61dB(A) |
| Product Size | 510×330×170mm | Gross Weight | 6.2KG |

■ GUIDANCE FOR USAGE

1 Unpack the machine




2 Remove the front panel




3 Take down the filters and remove the poly bags




4 Put the composite filter into properly.



5 Close the front panel



6 Connect to AC 100~120V Power supply




9 Press <ON/OFF> to turn on/off the machine



■ PRODUCT FEATURE

Purification Process




Composite filter mesh can firstly filter out large contamination particles such as hairs and pet hairs, and then can effectively remove minor contamination particles such as PM 2.5 and smog through high efficient HEPA filter mesh. Next, it can filter out mites and allergen through anti-mite and anti-allergic filter mesh among which activated carbon can effectively filter out harmful gas such as formaldehyde and benzene and strongly remove peculiar smell and foul smell.

Auxiliary Function

Buzzer: When the machine is powered on and under operation, the buzzer makes a prompt tone with buttons being pressed.

■ OPERATION INSTRUCTIONS

Touch and display panel Display



- "SPEED" button, showing the fan speed levels.
- Fan speed switches from 2 - 3 - A - 1 - 2.
 - A means auto mode, fan speed changes via air quality.

- "Timer" button to show time setting .
- Time setting can switch from 1h~12h.
 - Power on state, touch "TIMER" to turn off the unit.
 - Stand-by state, touch "TIMER" to turn on the unit.

- ON/OFF, to turn on/turn off the unit.
- After turn on the unit, 30s preheat will show and the icons light turn green.

"SLEEP"

- When touch "SLEEP" button, only this icon light on, others not. The Fan will run at the lowest SPEED.

"LOCK"press the button 3 seconds to turn the child lock on/off.


Press the"Timer + ON/OFF"button for 3 seconds to reset the filter life.
a. The filter indicator light is red when reach the filter life 3000h.

After plug on, the unit enters in stand-by mode.

Air Quality Indication



| | | | | | | |
|--------|--------|---------|--|------|--------|------|
| Green | -----○ | Perfect | | Blue | -----○ | Good |
| Yellow | -----○ | Normal | | Red | -----○ | Poor |

■ FILTER REPLACEMENT




When the filter indicator light turns red, it needs to replace the filter.

1. Turn down the unit plug off the power cord.



2. Open the filter cover

After the unit is powered off, catch the buckle position of the filter cover and pull it out.



3. Please take out the composite filter, and pack the used filter into bag to avoid any second pollution.

- A. The preliminary filter can be cleaned and reused.
- B. The combination filter that reaching its service life cannot be reused even if it is clean. Please treat it as non-burnable waste.

4. Adjust the direction of the new filter to correspond to the filter slot of the purifier and install the filter in, and then close the cover.

5. Turn on the power, touch the "ON/OFF" button to turn on the unit. And long press the "TIMER + ON/OFF" button for 3s to reset the filter time.

